



Subthreshold Diode Laser Micropulse for Tissue Sparing Photocoagulation

Bibliography

1. Macular Treatments

1.1 Diabetic Macular Edema (DME)

- 1.1.1 Friberg TR, Karatza EC. The treatment of macular disease using a micropulsed and continuous wave 810-nm diode laser. *Ophthalmology* 1997;104:2030-2038.
- 1.1.2 Moorman CM, Hamilton AMP. Clinical applications of the MicroPulse diode laser. *Eye* 1999;13(Pt2):145-150.
- 1.1.3 Stanga PE, Reck AC, Hamilton AMP. Micropulse laser in the treatment of diabetic macular edema. *Semin Ophthalmol* 1999;14(4):210-213.
- 1.1.4 Friberg TR. Infrared micropulsed laser treatment for diabetic macular edema – subthreshold versus threshold lesions. *Semin Ophthalmol* 2001;16(1):19-24.
- 1.1.5 Olk J et al. Minimal intensity diode laser photocoagulation (MIP) for diffuse DME. *Semin Ophthalmol* 2001;16(1):25-30.
- 1.1.6 Laursen ML, Moeller F, Sander B, Sjoelie AK. Subthreshold micropulse diode laser treatment in diabetic macular oedema. *Br J Ophthalmol* 2004;88:1173-1179.
- 1.1.7 Luttrull JK, Musch DC, Mainster MA. Subthreshold diode micropulse photocoagulation for the treatment of clinically significant diabetic macular oedema. *Br J Ophthalmol* 2005; 89: 74-80.
- 1.1.8 Bandello F, Polito A, et al. “Light” versus “classic” laser treatment for clinically significant macular oedema. *Br J Ophthalmol* 2005; 89: 864-870.
- 1.1.9 Bhagat N, Zarbin MA. Diode subthreshold micropulse laser for diabetic macular edema. *Retinal Physician*, Vol. 3, No. 2, March/April 2006:53-56.
- 1.1.10 Luttrull JK. Atraumatic photocoagulation for retinovascular disease. *Retinal Physician*, Vol. 3, No. 2, March/April 2006:65-69,87.
- 1.1.11 Luttrull JK. Is effective photocoagulation without laser-induced damage possible? *Retina Today Winter* 2006/2007:22-25.
- 1.1.12 Luttrull JK, Spink CJ. Serial optical coherence tomography of subthreshold diode laser micropulse photocoagulation for diabetic macular edema. *Ophthalmic Surg Lasers Imaging* 2006;37:370-377.
- 1.1.13 Tseng Shih-Yu. Clinical application of micropulse diode laser in the treatment of macular edema. *Am J Ophthalmol* 2005;139(4):S58.
- 1.1.14 Dare' A, et al. Novos horizontes no tratamento do edema de macula diabetico: fotocoagulacao macular seletiva com micropulse de diodo 810 nm. *Revista da Sociedade Brasileira de Retina & Vitreo*, March 2007;Nº 13:16-20.
- 1.1.15 Siviprasad S, Sandhu R, Tandon A, Sayed-Ahmed K, McHugh DA. Subthreshold micropulse diode laser photocoagulation for clinically significant diabetic macular oedema: a three-year follow up. *Clin Experiment Ophthalmol* 2007;35(7):640-4.
- 1.1.16 Fletcher E, Chong V. Diabetic macular oedema – is micropulse laser treatment the way forward? *Ophthalmology International* 2008; 3 (1):19-22.
- 1.1.17 Figueira J, Khan J, Nunes S, Sivaprasad S, Rosa A, de Abreu JF, Cunha-Vaz JG, Chong NV. Prospective randomised controlled trial comparing sub-threshold micropulse diode laser photocoagulation and conventional green laser for clinically significant diabetic macular oedema. *Br J Ophthalmol* 2009;93(10):1341-4.
- 1.1.18 Nakamura Y, Mitamura Y, Ogata K, Arai M, Takatsuna Y, Yamamoto S. Functional and morphological changes of macula after subthreshold micropulse diode laser photocoagulation for diabetic macular oedema. *Eye (Lond)* 2010;24(5):784-8.
- 1.1.19 Ohkoshi K, Yamaguchi T. Subthreshold micropulse diode laser photocoagulation for diabetic macular edema in Japanese patients. *Am J Ophthalmol* 2010;149:133–139.

Bibliography: Subthreshold Diode Laser Micropulse for Tissue Spring Photocoagulation

- 1.1.20 Vujosevic S, Bottega E, Casciano M, Pilotto E, Convento E, Midena E. Microperimetry and fundus autofluorescence in diabetic macular edema: Subthreshold micropulse diode laser versus modified early treatment diabetic retinopathy study laser photocoagulation. *Retina* 2010;30(6):908-916.

Posters and Podium Presentations on DME

- 1) Zagidullina A, Battaglia Parodi M, Iacono P, Fachin A, Ravalico G. Subthreshold micropulse grid laser treatment for clinically significant diabetic macular edema. *Invest Ophthalmolmol Vis Sci*. 2007;48:ARVO E-Abstract 1403.
- 2) Nunes S, Figueira J, Rosa A, Faria de Abreu JR, Cunha-Vaz JG. Subthreshold diode laser photocoagulation compares favorably with argon laser as treatment for mild clinically significant diabetic macular edema. *Invest. Ophthalmol. Vis. Sci*. 2007;48(5):ARVO E-Abstract 4996.
- 3) Grigorian RA, Zarbin MA, Brimacombe R, Tutela A, Roy M, Bhagat N. Comparison of subthreshold micropulse diode laser photocoagulation with conventional laser photocoagulation for clinically significant macular edema in diabetic patients. *Invest Ophthalmolmol Vis Sci*. 2004;45:ARVO E-Abstract 4067.
- 4) Avery RL, Pieramici DJ, Nasir MA, Rhodes K, Robbins E. Micropulse laser for diabetic macular edema: a prospective pilot study. *Invest Ophthalmolmol Vis Sci*. 2004;45:ARVO E-Abstract 4143.
- 5) McHugh JA, Tandon A, el-Ghonemy K. Micropulsed diode laser for diabetic macular edema. *Invest Ophthalmolmol Vis Sci*. 2002;43:ARVO E-Abstract 562.
- 6) Bhagat N et al. Subthreshold micropulse diode laser photocoagulation (SMDLP) for the treatment of diabetic clinically significant macular edema. Abstract EP-RET-095 - SOE/AAO joint congress, Vienna 9-12 June, 2007.
- 7) Chong V et al. Micropulse vs. green laser therapy in diabetic macular edema. The Macula Society 31st Annual Meeting, Saturday 11:15 (page 246-7) March 29, 2008, Palm Beach, FL.
- 8) Cardillo JA et al. Comparison of the modified ETDRS and normal or high-density subthreshold infrared micro pulsed photocoagulation for diabetic macular edema. *Invest Ophthalmolmol Vis Sci*. 2008;49:ARVO E-Abstract 1566.
- 9) Nakamura Y et al. Subthreshold micropulse diode laser photocoagulation for diabetic macular edema with hard exudates. *Invest Ophthalmolmol Vis Sci*. 2008;49:ARVO E-Abstract 3466.
- 10) Midena E et al. Microperimetry changes predict the structural outcome after subthreshold micropulse diode laser treatment for clinically significant diabetic macular edema. Abstract 96, 26th Meeting of the Club Jules Gonin, September 2008, St. Moritz, Switzerland.
- 11) Cardillo JA et al. Comparison of the modified-ETDRS and Normal or High Density subthreshold infrared micropulsed laser photocoagulation strategies for diabetic macular edema. The Retina Society 2008, September 25-28, Scottsdale, AZ.
- 12) Midena E et al. Diffuse diabetic macular edema: sub-threshold micropulse versus modified Early Treatment Diabetic retinopathy Study laser treatment. The Retina Society 2008, September 25-28, Scottsdale, AZ.
- 13) Cardillo JA et al. Optimal endpoint and lesion character for subthreshold micropulse photocoagulation protocols targeting diabetic macular edema. *Invest Ophthalmolmol Vis Sci*. 2009;50: ARVO E-Abstract 217.
- 14) Vujosevic S et al. Fundus autofluorescence changes after treatment for cystoid diabetic macular edema. *Invest Ophthalmolmol Vis Sci*. 2009;50: ARVO E-Abstract 1377.

1.2 Macular Edema Secondary to Branch Retinal Vein Occlusion (ME due to BRVO)

- 1.2.1 Parodi MB, Spasse S, Iacono P et al. Subthreshold grid laser treatment of macular edema secondary to branch retinal vein occlusion with micropulse infrared (810 nanometer) diode laser. *Ophthalmology* 2006;113:2237-2242.
- 1.2.2 Parodi MB, Iacono P, Ravalico G. Intravitreal Triamcinolone Acetonide Combined with Subthreshold Grid Laser Treatment for Macular Edema in Branch Retinal Vein Occlusion: A Pilot Study. *Br J Ophthalmol* 2008;92:1046-1050. doi:10.1136/bjo.2007.128025

1.3 Central Serous Chorioretinopathy (CSC)

- 1.3.1 Ricci F, Missiroli F, Cerulli L. Indocyanine green dye-enhanced micropulsed diode laser: a novel approach to subthreshold RPE treatment in a case of central serous chorioretinopathy. *Eur J Ophthalmol* 2004; 14(1): 74-82.
- 1.3.2 Lanzetta P, Furlan F, Morgante L, Verritti D, Bandello F. Nonvisible subthreshold micropulse diode laser (810 nm) treatment of central serous chorioretinopathy. A pilot study. *Eur J Ophthalmol* 2008;18(6):934-940.
- 1.3.3 Chen SN, Hwang JF, Tseng LF, Lin CJ. Subthreshold diode micropulse photocoagulation for the treatment of chronic central serous chorioretinopathy with juxtafoveal leakage. *Ophthalmology* 2008;115(12):2229-2234.
- 1.3.4 Ricci F, Missiroli F, Regine F, Grossi M, Dorin G. Indocyanine green enhanced subthreshold diode-laser micropulse photocoagulation treatment of chronic central serous chorioretinopathy. *Graefes Arch Clin Exp Ophthalmol* 2009;247(5):597-607.
- 1.3.5 Gupta B, Elagouz M, McHugh D, Chong V, Sivaprasad S. Micropulse diode laser photocoagulation for central serous chorio-retinopathy. *Clinical & Experimental Ophthalmology* 2009;37:801-805. doi:10.1111/j.1442-9071.2009.02157.x

Posters and Podium Presentations on CSC

- 1) Bandello F, Lanzetta P, Furlan F, Polito A. Non visible subthreshold micropulse diode laser treatment of idiopathic central serous chorioretinopathy. A pilot study. *Invest Ophthalmolmol Vis Sci*. 2003;44:ARVO E-abstract 4858.
- 2) Dare' AR et al. Sub-threshold infrared micro pulsed laser treatment for chronic central serous choroidopathy. *Invest Ophthalmolmol Vis Sci*. 2008;49:ARVO E-Abstract 4718.
- 3) Keunen JEE et al. Micropulse diode laser treatment in central serous chorioretinopathy. Abstract 87, 26th Meeting of the Club Jules Gonin, September 2008, St. Moritz, Switzerland.
- 4) Dare AR, Lavinsky D, Magalhaes F, et al. Focal juxtafoveal and grid pattern selective micropulse laser photocoagulation for treatment of chronic central serous chorioretinopathy. *Invest Ophthalmolmol Vis Sci*. 2009;50:ARVO E-Abstract 214.
- 5) Koss MJ, Bauch A, Koch FH. Micropulse versus bevacizumab in central serous chorioretinopathy. *Invest Ophthalmol Vis Sci*. 2009;50:ARVO E-Abstract 227.
- 6) Cardillo JA, et al. An optimized focal juxtafoveal and grid pattern subthreshold laser photocoagulation technique for the treatment of central serous chorioretinopathy. Retina Congress 2009, New York, NY. Page 69.
- 7) Keunen JE, Pijl BJ, Theelen T. Micropulse diode laser treatment in central serous chorioretinopathy. Retina Congress 2009, New York, NY. Poster 910, page 217.

1.4 Serous Pigment Epithelium Detachment (serous PED)

- 1.4.1 Battaglia-Parodi M, Sheth S, Papayannis A, Bandello F. Treatment of serous pigment epithelium detachment with subthreshold micropulse diode laser photocoagulation: a case report. *Eur J Ophthalmol*, 2009; 19(5):887-889.

1.5 Symptomatic Retinal Arterial Macroaneurysms (RAM)

- 1.5.1 Battaglia Parodi M, Iacono P, Cascavilla M, Bandello F. Subthreshold laser treatment for symptomatic retinal arterial macroaneurysms. *Invest Ophthalmol Vis Sci*. 2009;50:ARVO E-Abstract 183.

2. Proliferative Retinal Photocoagulation (PRP) for Proliferative Diabetic retinopathy (PDR)

- 2.1 Moorman CM, Hamilton AMP. Clinical applications of the MicroPulse diode laser. *Eye* 1999;13(Pt2):145-150.
- 2.2 Luttrull JK, Musch DC, Spink CA. Subthreshold diode micropulse panretinal photocoagulation for proliferative diabetic retinopathy. *Eye* (2008); 22:607-612.
- 2.3 Kumar V, Ghosh B, Raina UK, Goel N. Subthreshold diode micropulse panretinal photocoagulation for proliferative diabetic retinopathy. *Eye* 2009;23(11):2122-2123.
- 2.4 Luttrull JK, Musch D, Spink C. Reply to Dr Kumar et al. *Eye* 2009;23(11):2123-2123.
- 2.5 Bandello F, Brancato R, Menchini U, et al. Light panretinal photocoagulation (LPRP) versus classic panretinal photocoagulation (CPRP) in proliferative diabetic retinopathy. *Semin Ophthalmol* 2001; 16(1):12-18.
- 2.6 Flaxel C, Bradle J, Acott T, Samples JR. Retinal pigment epithelium produces matrix metalloproteinases after laser treatment. *Retina* 2007;27:629-634.

3. Glaucoma Treatments

- 3.1 Fea AM, Bosone A, Rolle T, Brogliatti B, Grignolo FM. Micropulse diode laser trabeculoplasty (MLT): a phase II clinical study with 12 months follow-up. *Clin Ophthalmol* 2008;2(2):247-52.
- 3.2 Fea AM, Dorin G. Laser treatment of glaucoma: evolution of laser trabeculoplasty techniques. *Techniques in Ophthalmology* 6(2):45-52, 2008.

Posters and Podium Presentations on Glaucoma

- 1) Ingvoldstad DD, Krishna R, Willoughby L. Micropulse diode laser trabeculoplasty versus argon laser trabeculoplasty in the treatment of open angle glaucoma. *Invest Ophthalmol Vis Sci* 2005; 46:ARVO E-Abstract 123.
- 2) Tan AM, See J, Chew PTK. Initial experience with micropulse diode laser transscleral cyclophotocoagulation for severe glaucoma. P428 - World Glaucoma Congress, Singapore 2007.
- 3) Grzybowski DM, Kim B, Roberts CJ, Weber PA. Cytokine & MMP production after CW and micropulse diode laser irradiation in responsive vs non-responsive cultured human trabecular meshwork endothelial cells (TMEC). *Invest Ophthalmol Vis Sci*. 2007;48:ARVO E-Abstract 2068.
- 4) Fudenberg SJ, Myers JS, Katz LJ. Trabecular meshwork tissue examination with scanning electron microscopy: a comparison of Micropulse diode Laser (MLT), Selective Laser (SLT), and Argon Laser (ALT) Trabeculoplasty in human cadaver tissue. *Invest Ophthalmol Vis Sci*. 2008;49:ARVO E-Abstract 1236.
- 5) Kim B, Grzybowski DM, Mahmoud AM, Weber PA, Roberts C. Heat Shock Protein Expression Following Micropulse And Continuous Wave Diode Laser Irradiation Of Cultured Human Trabecular Meshwork Endothelial Cells. *Invest Ophthalmol Vis Sci*. 2008;49:ARVO E-Abstract 1632.
- 6) Melis R et al. Micropulse diode laser trabeculoplasty for secondary corticosteroid induced glaucoma. EVER 2008, Abstract 5356.
- 7) Andrew G. Iwach. Micropulse Laser. Overview of Micropulse Diode Laser Trabeculoplasty: What we know and don't know. Glaucoma 2008 Subspecialty Day pages 17-18. AAO 2008, Atlanta, GA.

4. Technical and Theoretical Rationale

- 4.1 Pankratov MM. Pulsed delivery of laser energy in experimental thermal retinal photocoagulation. *SPIE* vol. 1202 Laser-Tissue Interaction (1990) / 205-213.
- 4.2 Sliney DH, Marshall J. Tissue specific damage to the retinal pigment epithelium: mechanisms and therapeutic implications. *Laser Light in Ophthalmol* 1992;5.1:17-28.

Bibliography: Subthreshold Diode Laser Micropulse for Tissue Spring Photocoagulation

- 4.3 Berger JW. Thermal modelling of micropulsed diode laser retinal photocoagulation. *Laser Surg Med* 1997;20:409-415.
- 4.4 Mainster MA. Decreasing retinal photocoagulation Damage: principles and techniques. *Semin Ophthalmol* 1999;14(4):200-209.
- 4.5 Lanzetta P, Dorin G, Piracchio A, Bandello F. Theoretical bases of non-ophthalmoscopically visible endpoint photocoagulation. *Semin Ophthalmol* 2001; 16(1):8-11.
- 4.6 Dorin G. Subthreshold and micropulse diode laser photocoagulation. *Semin Ophthalmol* 2003;18(3):147-153.
- 4.7 Dorin G. Evolution of retinal laser therapy: minimum intensity photocoagulation (MIP). Can the laser heal the retina without harming it? *Semin Ophthalmol* 2004;19(1-2):62-68.
- 4.8 Flaxel C, Bradle J, Acott T, Samples JR. Retinal pigment epithelium produces matrix metalloproteinases after laser treatment. *Retina* 2007;27:629-634.
- 4.9 Wilson AS et al. Argon laser photocoagulation-induced modification of gene expression in the retina. *Invest Ophthalmol Mol Vis Sci*. 2003;44:1426-1434.
- 4.10 Desmettre TJ, Mordon SR, Buzawa D, Mainster MA. Micropulse and continuous-wave diode retinal photocoagulation: visible and subvisible laser parameters. *Br J Ophthalmol* 2006;90:709-712.
- 4.11 Colome J, Ruiz-Moreno JM, Montero JA, Fernandez E. Diode laser-induced mitosis in the rabbit retinal pigment epithelium. *Ophthalmic Surg Lasers Imaging* 2007;38:484-490.
- 4.12 Lanzetta P, Polito A, Verritti D. Subthreshold laser. *Ophthalmology* 2008;115(1):216 – 216.e1.

Posters and Podium Presentations on Technical and Theoretical Rationale

- 1) Merrill K, Truong SN, Morse LS, Telander DG. The comparative histologic effects of subthreshold 530 nm and 810 nm diode micropulse laser on the retina. *Invest Ophthalmol Vis Sci*. 2007;48:ARVO E-Abstract 1424.
- 2) Dorin G et al. Evolution of laser therapy for diabetic retinopathy: are retinal destruction and collateral adverse effects prerequisites for an effective treatment? *Invest Ophthalmol Vis Sci*. 2008;49:ARVO E-Abstract 2758.
- 3) Kaushal S et al. Expression studies of laser-induced RPE stress. *Invest Ophthalmol Vis Sci*. 2008;49:ARVO E-Abstract 3987. (also presented in Palm Beach, FL, at the 2008 Annual Meeting of the Macula Society on Friday 8:06 - page 130/131 - March 28, 2008).
- 4) Kaushal S et al. Upregulation of the stem cell chemoattractant SDF-1 by laser or heat shock to the RPE. Abstract 102, 26th Meeting of the Club Jules Gonin, September 2008, St. Moritz, Switzerland.
- 5) Dorin G et al. Evolution of the laser treatment of diabetic retinopathy (DR): from laser surgery to laser therapy. EVER 2008, Abstract 613 in Poster Session 3.